

## Wheeled Stretcher (Mode 28)



### *EMT's using a stretcher.*

*A stretcher is usually moved by two people, one at the head and the other at the feet. The casualty is placed on the stretcher, and can then be carried or wheeled away. Stretchers are indicated if a person is unable to walk by themselves, or if other requirements mean a "stair chair" (wheelchair), or similar device cannot be used. Most modern civilian stretchers include straps to avoid further injury to the patient.*



High	Lowest Position	25cm ± 5 %
	Highest Position	79cm ± 5 %
Length	190cm ± 5 %	
Width	58cm ± 5 %	
Maximum Weight Capacity	280 Kg	
Weight	33 Kg	
Wheels	Diameter	12 cm
	Width	4.5 cm
Top Action Adjustment	0 -75 °	
Aluminum skeleton & Stainless steel structure		

*\*Ergonomic design, easy to use, easy to transport patients up and down the ambulance*

*\*Frame with high quality electroplating coating to prevent rust corrosion of anodic oxidation*

*\*The level of T6 heat treatment, the hardness of resistance to extension*

*\*Steeple's adjustment by backrest gas spring*

*\*High-density seamless mattresses, waterproof*

*\*Patient weight capacity 250kg*

*\*A total of three sets of seat belts and shoulder straps*

*\*Aluminum alloy frame material*

*\*Metal Industries Research and testing center of the tensile resistance of the certification (MTC34139, MTT67767)*

